Stage II landscape irrigation times and methods. For Stage II the following times and associated irrigation methods apply: Irrigation with a soaker hose, hose-end sprinkler or in- ground irrigation system is allowed on the day specified in subsection (1) between the hours of 7:00 a.m. to 11:00 a.m. and 7:00 p.m. to 11:00 p.m. Landscape irrigation with a drip irrigation system or five-gallon bucket is allowed during Stage II hours on any day. Landscape irrigation with a handheld hose is allowed at any time on any day.

Table B--Stage II Restrictions

Stage	Measures For	Scope of Restrictions
II	In General	Stage I restrictions remain the same except as added to or replaced below.
II	Hotels, Motels, Bed and Breakfasts	Hotels, motels and B&B's must offer and clearly notify guests of a "no linen/towel change" program.
II	Swimming Pools, Hot Tubs.	Draining permitted only onto pervious surface, or onto pool deck where the water is transmitted directly to a previous surface, only if: • Draining excess water from pool due to rain in order to lower water to maintenance level;
		 Repairing, maintaining or replacing pool component that has become hazardous; or
		Repairing pool leak
		 Refilling of public swimming pool permitted only if pool has been drained for the repairs, maintenance or replacement set out in items 2 or 3 above.
II	Landscape Irrigation for Existing Landscapes	Landscape watering using sprinkler or irrigation systems is permitted only on designated landscape watering days For Stage II the following times and associated irrigation methods apply: Irrigation with a soaker hose, hose-end sprinkler or in-ground irrigation system is allowed on the day specified between the hours of 7:00 a.m. to 11:00 a.m. and 7:00 p.m. to 11:00 p.m. Landscape irrigation with a drip irrigation system or five-gallon bucket is allowed during Stage II hours on any day. Landscape irrigation with a handheld hose is allowed at any time on any day.

_		
II	Landscape Irrigation for New Landscapes	 A. Installation of new landscapes is permitted with a variance which shall only be granted if all applicable provisions are verified by the City of Kenedy, including zonal irrigation systems if a permanent irrigation system is installed, a minimum of four (4) inches of soil under turf, model home with xeriscape and xeriscape option offered by builder on file with City of Kenedy. B. Landscape watering permitted to maintain adequate growth until established on newly installed landscapes, generally five (5) weeks. Property owners should submit to the City of Kenedy their name, address where the new landscape is to be installed and the date of installation in order to receive a confirmation latter from City of
		installation in order to receive a confirmation letter from City of Kenedy. A copy of the confirmation must be posted at a place visible from the street at the property the variance was received at. Thereafter, landscape watering using sprinkler or irrigation systems for landscaping plants is permitted only on the day and times associated with the current Stage in effect at the termination of the variance.
		C. The one hundred (100) percent use of gray water, treated wastewater orreuse water, condensate water, cooling tower blow down is a defense to prosecution and may be used to irrigate any day without waste. Alternate on-site reclaimed sources may be approved through variance from the City of Kenedy on a case by case basis.
		D. If one hundred (100) percent use of treated wastewater (recycled water), reuse water, reclaimed water, gray water, condensate, or cooling tower blow down will be used during additional days or hours allowed in signs identifying this property as using recycled or reclaimed water source must be posted on site at a location where the general public can view it.
II	Golf Courses	Golf Courses shall be required to submit a water conservation plan and shall have on file with the City of Kenedy the annual irrigation checkup as described and shall be defined as "conforming" or "non-conforming" and shall reduce water usage under the following terms:
		All landscape out-of-play areas such as may be found around a club house or entryway shall follow general landscape irrigation restrictions.
		All in-play areas may be irrigated with a sprinkler or irrigation system between the hours of 12:00 a.m. to 10:00 a.m. and 8:00 p.m. to midnight.
		Conforming golf courses shall implement a twenty (20) percent reduction in the replacement of daily evapotranspiration rate ("ET rate") or daily soil-holding capacity, achieved by use of an existing and properly operating CCIS (as defined) capable of achieving such water conservation

goals.

A non-conforming golf course shall not use more than 1.6 times the base usage. If not separately metered an irrigation audit showing precipitation rates and run times along with a conservation plan shall be submitted and approved by the City of Kenedy for the purpose of establishing acceptable irrigation run times and days as approved by the City of Kenedy.

The one hundred (100) percent use of treated wastewater (recycled water), reuse water, reclaimed water, gray water, condensate, or cooling tower blow down is a defense to prosecution and may be used to irrigate any day between the hours of 8:00 pm and 10:00 am and without waste. Alternate on- site reclaimed sources may be approved through variance from the City of Kenedy on a case by case basis.

If one hundred (100) percent use of treated wastewater (recycled water), reuse water, reclaimed water, gray water, condensate, or cooling tower blow down will be used during additional days allowed in signs identifying this property as using recycled or reclaimed water source must be posted on site at a location where the general public can view it.